SCHOOL DISTRICT SUPERINTENDENT'S WARRANTY OF VACCINE SAFETY

An MS Word version is available for editing at

http://www.cafepeyote.com/files/Warranty of Vaccine Safety - School District Superintendent.docx

I,, am the District
Superintended for
in the county of
I took my oath of office on
Some of my responsibilities of office include protecting district school children from
harm and promoting their good health and habits, including through educational information and materials provided to parents through their children's school oficials.
information and materials provided to parents through their emitten's school officials.
I am aware that vaccines typically contain many of the following fillers:
* aluminum hydroxide
* aluminum phosphate
* ammonium sulfate
* amphotericin B
* animal tissues: pig blood, horse blood, rabbit brain,
* dog kidney, monkey kidney,
* chick embryo, chicken egg, duck egg
* calf (bovine) serum
* betapropiolactone
* fetal bovine serum
* formaldehyde
* formalin
* gelatin
* glycerol
* human diploid cells (originating from human aborted fetal tissue)
* hydrolized gelatin
* mercury thimerosol (thimerosal, Merthiolate(r))
* monosodium glutamate (MSG)
* neomycin
* neomycin sulfate
* phenol red indicator
* phenoxyethanol (antifreeze)
* potassium diphosphate
* potassium monophosphate
* polymyxin B
* polysorbate 20

* polysorbate 80

- * porcine (pig) pancreatic hydrolysate of casein
- * residual MRC5 proteins
- * sorbitol
- * tri(n)butylphosphate,
- * VERO cells, a continuous line of monkey kidney cells, and
- * washed sheep red blood

and, hereby, warrant that these ingredients are safe for injection into the body of any child. I have researched reports to the contrary, such as reports that mercury thimerosal causes severe neurological and immunological damage, and find that they are not credible.

I am aware that some vaccines have been found to have been contaminated with Simian Virus 40 (SV 40) and that SV 40 is causally linked by some researchers to non-Hodgkin's lymphoma and mesotheliomas in humans as well as in experimental animals. I hereby warrant that the vaccines I recommend for school children do not contain SV 40 or any other live viruses. Alternately, I hereby warrant that said SV-40 virus or other viruses pose no substantive risk to my district's school children.

I hereby warrant that the vaccines I am recommending for all school children in order to attend school do not contain any tissue from aborted human babies (also known as "fetuses").

I have personally investigated the reports made to the VAERS (Vaccine Adverse Event Reporting System) and state that it is my professional opinion that the vaccines I am recommending are safe for administration to a child under the age of 5 years or of high school age.

The bases for my opinion are itemized on Exhibit A, attached hereto, -- "School District Superintendent's Bases for Professional Opinion of Vaccine Safety." (Please itemize each recommended vaccine separately along with the bases for arriving at the conclusion that the vaccine is safe for administration to a child under the age of 5 years or of high school age).

The professional journal articles I have relied upon in the issuance of this School District Superintendent's Warranty of Vaccine Safety are itemized on Exhibit B, attached hereto, "Scientific Articles in Support of School Superintendent's Warranty of Vaccine Safety."

The professional journal articles that I have read which contain opinions adverse to my opinion are itemized on Exhibit C, attached hereto, -- "Scientific Articles Contrary to School District Superintendent's Opinion of Vaccine Safety"

The reasons for me determining that the articles in Exhibit C were invalid are delineated in Attachment D, attached hereto, -- "School District Superintendent's Reasons for Determining the Invalidity of Adverse Scientific Opinions of Vaccine Safety."

HEPATITIS B

I understand that 60 percent of patients who are vaccinated for Hepatitis B will lose detectable antibodies to Hepatitis B within 12 years. I understand that in 1996 only 54 cases of Hepatitis B were reported to the CDC in the 0-1 year age group. I understand that in the VAERS, there were 1,080 total reports of adverse reactions from Hepatitis B vaccine in 1996 in the 0-1 year age group, with 47 deaths reported.

I understand that 50 percent of patients who contract Hepatitis B develop no symptoms after exposure. I understand that 30 percent will develop only flu-like symptoms and will have lifetime immunity. I understand that 20 percent will develop the symptoms of the disease, but that 95 percent will fully recover and have lifetime immunity.

I understand that 5 percent of the patients who are exposed to Hepatitis B will become chronic carriers of the disease. I understand that 75 percent of the chronic carriers will live with an asymptomatic infection and that only 25 percent of the chronic carriers will develop chronic liver disease or liver cancer, 10-30 years after the acute infection.

The following scientific studies have been performed to demonstrate the safety of the Hepatitis B vaccine in children under the age of 5 years.			
DECLARATION OF RESPONSIBILITY			

Notary Public:	Date:	
•		